

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of) Attorney Docket No.: SUGI0158
)
Kazuhiko SUGIYAMA et al.) Confirmation No.: 6391
)
Serial No.: 10/561,514) Group Art Unit: Unknown
)
Filed: December 20, 2005) Examiner: Unknown
)
For: APPARATUS AND METHOD OF) Date: November 10, 2008
DIVIDING AND SUPPLYING GAS)
TO A CHAMBER FROM A GAS)
SUPPLY APPARATUS EQUIPPED)
WITH A FLOW-RATE CONTROL)
SYSTEM)

STATUS INQUIRY and REQUEST FOR OFFICIAL FILING RECEIPT


MAIL STOP: PCT
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

A Decision on Petition Under 37 CFR 1.181 was mailed from the USPTO on February 22, 2008 indicating the abandonment of the application and Notification of Missing Requirements was VACATED, and to date no Official Filing Receipt has been received. In view of the lapse of time from the revival of this application, the undersigned inquires as to the status of the same.

Respectfully submitted,

GRIFFIN & SZIPL, P.C.



Joerg-Uwe Szimpl
Registration No. 31,799

GRIFFIN & SZIPL, P.C.
Suite PH-1
2300 Ninth Street, South
Arlington, VA 22204

Telephone: (703) 979-5700
Facsimile: (703) 979-7429
Email: gands@szipl.com
Customer No.: 24203